

## **Planetary Magnetic Fields**

### **A Cassini Science Investigation**

#### Purpose

Using three measurements with a magnetic compass, the orientation of the magnetic field in manufactured “planets” can be deduced by students-turned-planetologists.

Saturn System Technology: Saturn’s Magnetosphere

Keywords: Planet, Magnet, Dipole, Magnetometer, Compass

The interiors of planets may forever remain out of the realm of direct observation and measurement. Yet, by means of laboratory experimentation, theoretical studies, and external observations, scientists can infer many details about the conditions found deep inside a planet. One external observation directly related to conditions in the core of a planet is that of the shape and orientation of the planetary magnetic field.

Spacecraft carry instruments called magnetometers to measure the field strength and direction of planetary magnetic fields. These instruments are so sensitive that they must be mounted on long booms extending from the main body of the spacecraft. Otherwise they would pick up magnetic fields generated by flowing electrical currents and permanent magnets aboard the spacecraft.

Earth, Jupiter, Saturn, Uranus, and Neptune all have magnetic fields that can be described as offset, tilted dipoles. A dipole describes a system having two polarities such as the north and south of a bar magnet. Tilted refers to the alignment of the dipole with respect to the rotation axis of the planet, that is, how well the positions of the magnetic poles match the positions of the geographic poles. Offset describes the position of the dipole relative to the center of the planet. The center of the dipole may be shifted away from the planet's center both outward from the center and toward one of the geographic poles.

Planetologists believe that planetary magnetic fields are generated by a dynamo effect within the cores of a planet. The dynamo effect occurs when moving electrical charges generate magnetic fields. Such processes are believed to occur deep inside some planets, based on the observation of their external magnetic fields. A spacecraft like Cassini can measure these magnetic fields, including their strength and direction, at a large number of places around Saturn, from the equator to near the poles and from nearby and far away. This allows detailed characterization of Saturn's magnetic field and permits the construction, within a computer, of good models of the generating source. In this activity students can observe the effects of a simulated planetary magnetic field and infer details about its source. The complexity of the planetary field can be determined by the instructor.

#### Materials

Available to download from <http://www.jpl.nasa.gov/jupiterflyby>

- bar magnets or cow magnets; must be strong (sources: bar magnets - toy store, office supply store, or fabric store; cow magnet - veterinary or farm supply)
- Rubber or styrofoam balls (approximately the size of a tennis ball)
- Pencil(s)
- Magnetic compass(es)

### Procedure

Test "planets" made from bar magnets and balls can be made as either demonstrators or mysteries for students to solve. The length of the magnet, compared to the diameter of the ball, may be the determining factor. At their simplest, holes can be bored in balls and magnets placed inside each, held either by friction or with rubber cement. The holes or protruding magnet ends will give away the orientation of the magnet.

Alternatively, balls whose diameters exceed the lengths of the magnets can be cut in half. A section of one (for radial offset) or both hemispheres (for no or geographic offset only) can be hollowed out. The magnet is placed in the hollow and the hemispheres are glued together again.

Make several "planets" and decide in advance on a prime meridian for each (draw a 0 degree longitude half-circle connecting the north and south geographic poles). Construct "planets" with no offset or tilt, and others with different amounts of offset, tilt, and both. More elaborate "planets" with more than one magnet can also be constructed, and have some similarity to the more complex magnetic fields of real planets. Use a pencil or dowel jammed into the south pole of each "planet" to mark its rotation axis and as a handhold for experiments. Each "planet" can have more than one south pole and prime meridian; color code them. Thus, each "planet" becomes several "planets" for experimentation.

The compass should be placed on the edge of a nonmagnetic surface (ideally, each student's desk). Students should observe the effect of slowly rotating the "planet" about its axis from at least two positions. One position should be in the plane of the equator. The other should be near one pole. One can predict the effect of the "planet" on the compass as follows:

No offset, no tilt - From both positions the compass will point towards the "planet", with no effects visible due to rotation.

Radial offset, no tilt - From both positions, the compass points towards the "planet" but rotation will cause the compass needle to be displaced a small amount in either direction from some zero-point.

Geographic offset, no tilt - Three measurements, at the equator and near both poles, may distinguish a geographic offset. Otherwise, the compass will point towards the "planet", with no effects visible due to rotation. Additional measurements made at a different distance may help to indicate this offset.

No offset with small tilt - With an equatorial measurement, the compass will point towards the "planet", with no effects visible due to rotation. Polar measurements will show displacements with rotation. A different end of the needle will point towards either pole.

Available to download from <http://www.jpl.nasa.gov/jupiterflyby>

No offset with tilt near 90 degrees - The equatorial measurement shows the needle reversing direction, i.e., rotating in step with the rotation of the "planet." Polar measurements show little difference from the equator measurement.

Offset and tilt - Measurements at the equator and both poles and at two distances should be able to distinguish the degrees of offset and tilt of the internal dipole. Similar measurements of "planets" with multiple dipoles can sort out their more complex magnetic fields.

Science Standards

A visit to the URL <http://www.mcrel.org> yielded the following standards and included benchmarks that may be applicable to this activity.

12. Understands motion and the principles that explain it.

Level II: Upper Elementary (Grades 3-5)

Knows that when a force is applied to an object, the object either speeds up, slows down, or goes in a different direction.

Knows the relationship between the strength of a force and its effect on an object (e.g., the greater the force, the greater the change in motion; the more massive the object, the smaller the effect of a given force).

13. Knows the kinds of forces that exist between objects and within atoms.

Level I: Primary (Grades K-2)

Knows that magnets can be used to make some things move without being touched.

Level II: Upper Elementary (Grades 3-5)

Knows that magnets attract and repel each other and attract certain kinds of other materials (e.g., iron, steel).

15. Understands the nature of scientific inquiry.

Level I: Primary (Grades K-2)

Knows that learning can come from careful observations and simple experiments.

Knows that tools (e.g., thermometers, magnifiers, rulers, balances) can be used to gather information and extend the senses.

Level II: Upper Elementary (Grades 3-5)

Knows that scientific investigations involve asking and answering a question and comparing the answer to what scientists already know about the world.

Knows that scientists use different kinds of investigations (e.g., naturalistic observation of things or events, data collection, controlled experiments), depending on the questions they are trying to answer.

Plans and conducts simple investigations (e.g., makes systematic observations, conducts simple experiments to answer questions).

Uses simple equipment and tools to gather scientific data and extend the senses (e.g., rulers, thermometers, magnifiers, microscopes, calculators).

Knows that good scientific explanations are based on evidence (observations) and scientific knowledge.

Available to download from <http://www.jpl.nasa.gov/jupiterflyby>

Knows that scientists make the results of their investigations public; they describe the investigations in ways that enable others to repeat the investigations.  
Knows that scientists review and ask questions about the results of other scientists' work.  
Knows that different people may interpret the same set of observations differently.

Level III: Middle School/Jr. High (Grades 6-8)

Designs and conducts a scientific investigation (e.g., formulates questions, designs and executes investigations, interprets data, synthesizes evidence into explanations, proposes alternative explanations for observations, critiques explanations and procedures).  
Uses appropriate tools (including computer hardware and software) and techniques to gather, analyze, and interpret scientific data. Establishes relationships based on evidence and logical argument (e.g., provides causes for effects).

Level IV: High School (Grades 9-12)

Understands the use of hypotheses in science (e.g., selecting and narrowing the focus of data, determining additional data to be gathered; guiding the interpretation of data).  
Designs and conducts scientific investigations by formulating testable hypotheses, identifying and clarifying the method, controls, and variables; organizing and displaying data; revising methods and explanations; presenting the results; and receiving critical response from others.  
Knows that a wide range of natural occurrences may be observed to discern patterns when conditions of an investigation cannot be controlled.

## Planetary Magnetic Fields Student Sheet

### Procedure

The teacher will construct some different “planets” for the experiment.

- Place the compass on the edge of a nonmagnetic surface.
- Place the “planet” near the compass.
- Rotate the “planet” slowly. Observe the effect of the slowly rotating “planet” about its axis.
- Move the “planet” above the compass and repeat. How does the compass behave?
- Repeat the experiment by placing the “planet” below the compass.
- Repeat with different “planets.”

### Questions

- How did the different “planets” affect the compass differently?
- How was the compass affected differently when the “planet” was placed above, below, and at the compass’s level?
- If you assume a simple bar magnet is hidden in each “planet,” figure out how the magnet is oriented in each “plane.”